

Service Manual

Service Parts & Diagrams

HD-14T

BendPak SKU 5260524 HD-14T Four Post Lift Version E 06/02/2016





This guide is a troubleshooting reference used for maintaining and servicing your BendPak product. It provides comprehensive information on identifying serviceable parts and components and assists in troubleshooting problems and performing assembly/disassembly procedures.

BendPak, Inc. Corporate Office

1645 Lemonwood Drive Santa Paula, CA 93060 USA Toll Free US/Canada: 1-800-253-2363 Fax: 1-805-933-9160 info@bendpak.com

Customer Service Desk / Warranty

Customer Service Representatives Office Tel: 1-805-933-9970 Toll Free US/Canada: 1-800-253-2363 Fax: 1-805-933-9160 customerservice@bendpak.com

Parts Orders

Customer Service Representatives Office Tel: 1-805-933-9970 Toll Free US/Canada: 1-800-253-2363 Fax: 1-805-933-9160 parts@bendpak.com

Domestic Sales & Service


3

USA Sales Representatives Office Tel: 1-805-933-9970 Toll Free US/Canada: 1-800-253-2363 Fax: 1-805-933-9160 sales@bendpak.com

International Sales & Service

Office Tel: 1-805-933-9970 Exports Department: 1-805-933-9970 Ext. 192 Toll Free US/Canada: 1-800-253-2363 Fax: 1-805-933-9160

bpkexports@bendpak.com



L		REVISION			
	REV	DESCRIPTION	DATE	EDITED BY	ECO#
	В	UPDATED BOM REVISIONS	01/23/2015	MR	00675
	O	REVISIONS	08/13/2015	TM	00683
	D	REPLACED 5930605 WITH 5905952, REPLACED 5930605 WITH 5905557, UPDATED BOM REVISIONS	12/24/2015	JM	00741
	C D	5905940, AND 5930605, UPDATED BOM REVISIONS REPLACED 5930605 WITH 5905952, REPLACED 5930605 WITH 5905557, UPDATED BOM			

I	TEM NO	PARTN	IUMBER		DES	CRIPTION		QTY	REV
	1	524	5387	HI	D-14T LIFT	SUPERSTRU	CTURE	1	D
	2	5250	0191		PARTS	BOX HD-14	·T	1	Е
	3	590.	5103		WARNIN	IG ALI/WL 2	200	1	
	4	5905200 4 POST DECAL KIT, LESS ALI		S ALI	1	В			
	5	590.	5905557 MAX CAP DANGER 14K		14K	1			
	6	5905465		5905465 MANUFACTURER LABEL		BEL	1		
	7 5905940			PRODUCT DATA LABEL		BEL	1		
	8	590.	5952	SERIA	l numbef	R INTERIOR T	AG PLATE	1	

DO NOT SCALE DRAWING DATE NAME DRAWN TM 08/12/2014 CHECKED DIMENSIONS ARE IN MM THIRD ANGLE PROJECTION



TITLE: HD-14T PRODUCTION LIFT VER E (CE CERT)


BendPak. 1645 LEMONWOOD DR. SANTA PAULA, CA 93060


PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BENDPAK INC. AN REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BENDPAK INC. IS PROHIBITED.

IZE	DWG. NO.		REV
A	5260524		D
	SCALE: 1:50	SH	EET 1 OF 2


- NOTE: UNLESS OTHERWISE SPECIFIED.


 1. SEE SHIPPING INSTRUCTIONS FOR FINAL PACKAGING
 2. ALL LABELS TO BE APPLIED TO POSTS AFTER PAINTING.
 3. SEE ATTACHED LABEL PLACEMENT SHEET





	REVISION			
REV	DESCRIPTION	DATE	EDITED BY	ECO#
D	UPDATED BOM REVISIONS	01/20/2009	AC	00266
D-001	UPDATED NEXT ASSEMBLY	03/11/2009	GJZ	00249
Е	UPDATED NEXT ASSEMBLY AND BOM REVISIONS	03/08/2010	AC	00333
F	UPDATED BOM REVISION	04/23/2010	TM	00351
F-001	UPDATED NEXT ASSEMBLIES	12/07/2012		00565
F-002	UPDATED NEXT ASSEMBLIES	08/04/2014	TM	00664





ITEM NO	PART NUMBER	DESCRIPTION	QTY	REV
1	5600079	HD-14 CYLINDER FLANGE ARM WELDMENT	1	F
2	5716006	HD-14 CYL. FLANGE ARM SLIDE	2	D
3	5530077	FHPS M6 x 1 x 25L	4	-
4	5535112	NUT M6 x 1.0	4	-
5	5545005	M6 FLAT WASHER	4	-


	DO NOT SCALE DRAWING		NAME	DATE				
		DRAWN	AC	12/17/2007	В	BendPak, 1645 LEMC		
	DIVERSIONS ARE IN ANA	CHECKED						
	DIMENSIONS ARE IN MIM	THIRD AT	NGLE PRO	DJECTION	TITLE: HD-14 CYLINDER FLANGE ARM ASSEMBLY			
	ししり				SIZE	DWG. NO.		REV
Υ	DIMENSIONS ARE IN MM	PROPRIETARY AND CONI THE INFORMATION CONTAINED II THE SOLE PROPERTY OF BENDPAK REPRODUCTION IN PART OR AS A		THIS DRAWING IS INC. ANY	Α	5215033		G
		THE WRITTEN PERMIS: PROHIBITED.				SCALE: 1:4	SHI	EET 1 OF 1

- NOTE: UNLESS OTHERWISE SPECIFIED.

 1. SEE SHIPPING INSTRUCTIONS FOR FINAL PACKAGING
- 2. ASSEMBLE ITEMS AS SHOWN

NEXT ASSEMBLY 5215203

	REVISION			
REV	DESCRIPTION	DATE	EDITED BY	ECO#
D	UPDATED NEXT ASSEMBLY, ADDED 5550486	02/24/2010	AC	00333
D-001	UPDATED NEXT ASSEMBLY	01/21/2011	TM	00439
D-010	UPDATED NEXT ASSEMBLIES	07/24/2013	TM	00611
Е	REPLACED 5550481 WITH 5550087	10/29/2013	TM	00593
F	REPLACED 5590240 WITH 5590175, UPDATED NEXT ASSEMBLIES	05/05/2015	MR	00683



ITEM NO	PART NUMBER	DESCRIPTION	QTY	REV
1	5700031	ZERO ANGLE MTG BRACKET	1	С
2	5590175	PUSH BUTTON AIR VALVE	1	В
3	5530043	SHCS M3 x 0.5 x 30	2	-
4	5545024	WASHER M3 x 9mm	2	-
5	5535020	NUT M3 x 0.5 NL	2	-
6	5550087	FTG ELB -04 COMP x -02 NPT	1	-
7	5550486	FTG NPL -02 NPT x -04 F NPT	1	-

DO NOT SCALE DRAWING DATE DRAWN AC 3/14/2008 CHECKED CA 09/02/2015

DIMENSIONS ARE IN MM

THIRD ANGLE PROJECTION

NAME

-	-

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS
THE SOLE PROPERTY OF BANDAYA INC. ANY
REPRODUCTION IN PART OR AS A WHOLE WITHOUT
THE WRITTEN FERMISSION OF BENDPAK INC. IS
PROHIBITED.


PUSH BUTTON AIR ASSEMBLY

BP BendPak. 1645 LEMONWOOD DR. SANTA PAULA, CA 93060


SIZE DWG. NO. REV F 5215096 SCALE: 2:3 SHEET 1 OF 1

NOTE: UNLESS OTHERWISE SPECIFIED. 1. ASSEMBLE ITEMS AS SHOWN





	REVISION			
REV	DESCRIPTION	DATE	EDITED BY	ECO#
E	ADDED HD/S-14 SERIES TO TITLE	10/05/2009	AC	00300
E-001	UPDATED NEXT ASSEMBLY	02/24/2010	AC	00333
F	REPLACED 5530064 WITH 5530097 UPDATED BOM REVISION	06/03/2010	AC	00366
G	UPDATED BOM REVISION	07/30/2010	TM	00387
G-001	UPDATED NEXT ASSEMBLY	05/17/2011	TM	00456
G-002	UPDATED NEXT ASSEMBLY	10/28/2011	TM	00487
G-003	UPDATED NEXT ASSEMBLIES	05/16/2013	TM	00593
G-004	UPDATED NEXT ASSEMBLIES	08/13/2014	TM	00664





ITEM NO	PART NUMBER	DESCRIPTION	QTY	REV
1	5600138	HD/S-14 SERIES DRIVE UP RAMP WELDMENT	1	F
2	5716149	HD-7500/9, HD/S-14 SERIES DRIVE UP RAMP PLASTIC ROLLER	2	F
3	5530097	HHB M6 x 1.0 x 50	2	-
4	5535357	NUT M6 x 1.0 NL		-

DO NOT SCALE DRAWING		NAME	DATE		_		
	DRAWN	TM	06/04/2008	В	BendPak. 1645 LEMO		
	CHECKED						
DIMENSIONS ARE IN MM	THIRD AN	IGLE PRO	DJECTION	TITLE			
			HD/S-14 SERIES DRIVE UP RAMP ASSEMBLY				
(C)	Ψ			SIZE		<u>'- </u>	REV
	THE INFORMATION C THE SOLE PROPERTY	PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BENDPAK INC. ANY		Α	5215104		Н
	REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BENDPAK INC. IS PROHIBITED.		SCALE: 1:8		SHEET 1 OF 1		

NOTE: UNLESS OTHERWISE SPECIFIED.

- SEE SHIPPING INSTRUCTIONS FOR FINAL PACKAGING
- 2. ASSEMBLE ITEMS AS SHOWN





		REVISION			
I	REV	DESCRIPTION	DATE	EDITED BY	ECO#
	D	REPLACED 5700034 WITH 5716632, REPLACED (2) 5540065 WITH 5540070, REMOVED 5530694 & 5535357, UPDATED BOM REVISION AND NEXT ASSEMBLY	01/23/2015	MR	00675
	Е	REPLACED 5545026 WITH 5545005	03/20/2015	MR	00683
	F	REMOVED (2) 5550025 AND (2) 5716632	12/28/2015	JM	00741


ITEM		DESCRIPTION	QTY	REV
NO	NUMBER		QII	
1	5600058	HD-14 CROSSTUBE WELDMENT, LARGE WINDOW	1	K
2	5215142	HD-14 CROSSTUBE SHEAVE	2	В
3	5600044	HD/HDS LIGHT DUTY SERIES SLACK SAFETY WELDMENT	2	F
4	5600173	HD/S/O-14 SHEAVE PIN WELDMENT	2	Ğ
5	5575380	HD/HDS/HDO/HDSO-14 SERIES SAFETY ROLLER	2	С
6	5716005	HD-7/7500/9/14/HDSO-14 PLASTIC SLIDE BLOCK	8	J
7	5600760	HD/HDS LIGHT DUTY SERIES SAFETY WELDMENT	2	В
8	5746008	HD/HDS-7/7500/9/14, HDSO-14 SAFETY PIN	2	Е
9	5502195	AIR CYLINDER, Ø19mm x 25 STROKE	2	
10	5505030	ROTOR CLIP 10mm SS	2	
11	5505625	FEMALE ROD END M6 x 33mm	2	
12	5540002	E RING Ø1.375" OD TRUARC X5133-137	2	
13	5540065	SPRING Ø13mm x 90mm, SLACK SAFETY	4	Α
14	5540275	E RING Ø25mm OD DIN 6799 0250	8	
15	5530005	HHB M6 x 1 x 70	6	
16	5530093	HHB M6 x 1 x 20	2	
17	5535112	NUT M6 x 1.0	4	
18	5545005	M6 FLAT WASHER	4	
19	5545032	WASHER M36 x 66 FLAT	2	
20	5550087	FTG ELB -04 COMP x -02 NPT	2	
21	5755137	HD AIR CYLINDER SPACER 25mm	2	В
22	5755136	HD AIR CYLINDER SPACER 12mm	2	В
23	5540070	SPRING Ø13mm x 89mm, AIR CYLINDER	2	В
24	5535357	NUT M6 x 1,0 NL	4	
1 00 11	OT COALE DDAN	AUNIC NAME DATE		

BP BendPak, 1645 LEMONWOOD DR. SANTA PAULA, CA 93060

TITLE: HD-14 CROSSTUBE ASSEMBLY, LARGE WINDOW

SIZE DWG. NO. REV 5215595

SCALE: 1:20 SHEET 1 OF 1



	REVISION			
REV	DESCRIPTION	DATE	EDITED BY	ECO#
D	REMOVED (4) OF 5545005 ADDED (2) 5545026 AND REVERSED DIRECTION OF ROD END BOLT 5530093	01/23/2015	MR	00675
Е	REPLACED 5545026 WITH 5545005	03/20/2015	MR	00683
F	REMOVED (2) 5550025 AND 5716632 UPDATED BOM REVISIONS	12/28/2015	JM	00741

ITEM		DESCRIPTION	OTV	REV
NO.	NUMBER	DESCRIFTION	ווע	
1	5600054	HD-14 CROSSTUBE WELDMENT, SMALL WINDOW	1	K
2	5215142	HD-14 CROSSTUBE SHEAVE	2	В
3	5600044	HD/HDS LIGHT DUTY SERIES SLACK SAFETY WELDMENT	2	F
4	5600173	HD/S/O-14 SHEAVE PIN WELDMENT	2	G
5	5716005	HD-7/7500/9/14/HDSO-14 PLASTIC SLIDE BLOCK	8	B E
6	5600760	HD/HDS LIGHT DUTY SERIES SAFETY WELDMENT	2	В
7	5746008	HD/HDS-7/7500/9/14, HDSO-14 SAFETY PIN	2	E
8	5575380	HD/HDS/HDO/HDSO-14 SERIES SAFETY ROLLER	2	С
9	5502195	AIR CYLINDER, Ø19mm x 25 STROKE	2	-
10	5505030	ROTOR CLIP 10mm SS	2	-
11	5505625	FEMALE ROD END M6 x 33mm	2	-
12	5540275	E RING Ø25mm OD DIN 6799 0250	8	-
13	5530005	HHB M6 x 1 x 70	6	-
14	5530093	HHB M6 x 1 x 20	2	-
15	5535112	NUT M6 x 1.0	2	-
16	5540002	E RING Ø1.375" OD TRUARC X5133-137	2	-
17	5540065	SPRING Ø13mm x 90mm, SLACK SAFETY	4	Α
18	5540070	SPRING Ø13mm x 89mm, AIR CYLINDER	2	В
19	5545005	M6 FLAT WASHER	4	-
20	5545032	WASHER M36 x 66 FLAT	2	-
21	5550087	FTG ELB -04 COMP x -02 NPT	2	-
22	5755136	HD AIR CYLINDER SPACER 12mm	2	В
23	5755137	HD AIR CYLINDER SPACER 25mm	2	В
24	5535357	NUT M6 x 1.0 NL	6	-
DON	OT SCALE DRAV	VING NAME DATE		

04/16/2013

DRAWN

CHECKED

DIMENSIONS ARE IN MM

SH

THIRD ANGLE PROJECTION

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTINUED IN THIS DRAWING IS
THE SOLE PROPERTY OF BENDAYA INC. ANY
REPRODUCTION IN PART OR AS A WHOLE WITHOUT
THE WRITTEN PERMISSION OF BENDPAK INC. IS
PROHIBITED.

Bendrak, 1645 LEMONWOOD DR. SANTA PAULA, CA 93060

REV


SHEET 1 OF 1


HD-14 CROSSTUBE ASSEMBLY, SMALL WINDOW

5215596


SCALE: 1:20

SIZE DWG. NO.





	REVISION			
REV	DESCRIPTION	DATE	EDITED BY	ECO#
В	UPDATED TITLE TO REFLECT WHERE USED UPDATED NEXT ASSEMBLY	02/24/2010	AC	00333
С	UPDATED TITLE TO REFLECT WHERE USED UPDATED NEXT ASSEMBLY	04/23/2010	AC	00342
C-001		05/22/2013	TM	00593
D	REPLACED 5570110 WITH 5570129 AND UPDATED TITLE TO REFLECT WHERE USED	06/08/2015	TM	00683



NOTE: UNLESS OTHERWISE SPECIFIED.

- FOR ITEM 1 SPECIFICATIONS REFER TO PART SPECIFICATION FORM
- ITEM 1 QTY FOR REFERENCE ONLY 2.

1	5570	129	Ø6.4 ID HYDRAULIC HC					3630mm*	-
2	5550	325		FTG NPL Ø1/4 CRIMP x -04 JIC			1	-	
3	5550	0345 FTG ELB Ø1/4 (CRIMP x -04 JIC		1	-	
DO NOT SCALE DRAWING				NAME	DATE				
		DRAWN		AC	10/01/2008	BP BendPak.	1645 I SANT	LEMONWOOD A PAULA, CA 9	DR. 3060
DIMENSIONS ARE	IN MM	CHECKE)	CA	08/27/2015	, sold of the second of the se			

DESCRIPTION

TOLERANCES: 0. = ±1.5 0.0 = ±0.5

ANGULAR: $0. = \pm 2^{\circ}$

ITEM NO. PART NUMBER

SURFACE FINISH 1.6 ISO Ra µm FOR MACHINED SURFACES UNLESS OTHERWISE SPECIFIED NEXT ASSEMBLY

5250191 5250250

THIRD ANGLE PROJECTION

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS
THE SOLE PROPERTY OF BARDAK INC. ANY
REPRODUCTION IN PART OR AS A WHOLE WITHOUT
THE WRITTEN PERMISSION OF BENDPAK INC. IS
PROHIBITED.


TITLE: HD-14T HYD. HOSE ASSEMBLY Ø6.4 x 3685mm

SIZE DWG. NO. 5570025 D

SCALE: 1:2 SHEET 1 OF 1

QTY. REV

REVISION								
	REV.	DESCRIPTION	DATE	EDITED BY	ECO#			
	Α	PRODUCTION RELEASE	12/24/2007	AC	00104			
	A-001	CHANGED SURFACE FINISH FROM 3.2 µm TO	09/05/2008	GJ	00237			
		1.6 Ra µm						
	A-002	UPDATED NEXT ASSEMBLY	10/02/2008	AC	00140			
	В	UPDATE TUBE TO NEW STYLE, UPDATED NEXT	12/11/2008	AC	00256			
		ASSEMBLY AND TITLE						
	B-001	UPDATED NEXT ASSEMBLY	05/04/2009	AC	00277			
	B-013	UPDATED NEXT ASSEMBLIES	05/17/2013	TM	00593			



NEXT ASSEMBLY HD/HDS/HDSO SERIES


NOTE: UNLESS OTHERWISE SPECIFIED.

- FOR ITEM 1 SPECIFICATIONS REFER TO PART SPECIFICATION FORM
 (*)ITEM 1 QTY FOR REFERENCE ONLY

ITEM NO	PART NUMBER	DESCRIPTION	QTY.	REV
1	5570053	PE FLEX TUBE Ø34.5xØ29	1386mm*	-
2	555555	WQG1-M36/AD34.5 CONNECTOR	2	-
3	5535050	PLASTIC NUT M36 x 2	2	-

DO NOT SCALE DRAWING		NAME	DATE			
DIMENSIONS ARE IN MM TOLERANCES:	DRAWN	AC	12/24/2007	В		NWOOD DR. LA, CA 93060
0. = ±1.5 0.0 = ±1.0	CHECKED					
0.00 = ±0.25 0.000 = ±0.13	THIRD AN	NGLE PRO	DJECTION	TITLE	E ELEV TUDE	
ANGULAR: MACH±2°	l 4	_			FLEX TUBE	
SURFACE FINISH 1.6 ISO Ra µm FOR MACHINED SURFACES	-(+)	∈	\exists		ASSEMBLY 1320	Jmm
UNLESS OTHERWISE SPECIFIED MATERIAL:	'			SIZE	DWG. NO.	REV
SIZE:	PROPRIETAR THE INFORMATION C THE SOLE PROPERTY	Y AND CONFI	THIS DRAWING IS	Α	5570050	В
	REPRODUCTION IN P	ART OR AS A	WHOLE WITHOUT			
	THE WRITTEN PERMIS: PROHIBITED.	SION OF BEND	PAK INC. IS		SCALE: 1:1	SHEET 1 OF 1

REVISION									
REV.	DESCRIPTION	DATE	EDITED BY	ECO#					
Α	PRODUCTION RELEASE	09/29/2008	AC	00140					
A-001 l	UPDATED NEXT ASSEMBLY	02/24/2010	AC	00333					
В	UPDATED TITLE TO DENOTE SINGLE THREADED END	06/09/2010	AC	00366					
B-001	UPDATED NEXT ASSEMBLY	05/22/2013	TM	00593					




NOTE: UNLESS OTHERWISE SPECIFIED.


- FOR ITEM 1 SPECIFICATIONS REFER TO PART SPECIFICATION FORM LENGTH SHOWN IS AFTER SWAGING


 (*)ITEM 1 QTY FOR REFERENCE ONLY
- 1. 2. 3.

ITEM NO. PART NU 55950 2 57460 3 57460 DO NOT SCALE DRAWING	MBER 001 020 Ø 019	12 THR Ø12 (DESCR CABLE, LI EADED C CABLE EN	RIPT FTIN ABL D C	ION IG Ø12 E CONNECTOR CONNECTOR	QTY. 3583mm* 1	REV D D
DIMENSIONS ARE IN MM TOLERANCES: 0.0 = ±1.5 0.0 = ±0.5	DRAWN CHECKED	AC	09/29/2008	B		EMONWOOD PAULA, CA 9	
ANGULAR: 0. = ±2° SURFACE FINISH 1.6 ISO Ra µm FOR MACHINED SURFACES UNLESS OTHERWISE SPECIFIED	THIRD AN	IGLE PRO	DJECTION	TITLE	Ø12 x 3665n	nm ST	
MATERIAL: SIZE:	PROPRIETAR THE INFORMATION C THE SOLE PROPERTY REPRODUCTION IN P	OF BENDPAK	THIS DRAWING IS INC. ANY	SIZE	DWG. NO. 5595139	"	B
5250191	THE WRITTEN PERMISS PROHIBITED.				SCALE: 1:2	SHEET 1	OF 1



	REVISION			
REV	DESCRIPTION	DATE	EDITED BY	ECO#
С	UPDATED TITLE TO REFLECT WHERE USED UPDATED BOM REVISION	02/26/2010		00333
D	UPDATED TITLE TO REFLECT WHERE USED, UPDATED BOM REVISIONS, UPDATED NEXT ASSEMBLY	06/04/2010	AC	00366
D-001 D-002	UPDATED NEXT ASSEMBLY	01/20/2011 07/05/2011	TM TM	00439 00469
D-003 D-004	UPDATED NEXT ASSEMBLIES	12/28/2011	TM TM	00487 00562
E	UPDATED BOM REVISION, NEXT ASSEMBLIES AND TITLE	04/23/2013	TM	00593
E-001 E-002 E-003		10/16/2013 02/05/2014 08/13/2014	TM	00630 00593 E&O 00664





NOTE: UNLESS OTHERWISE SPECIFIED.


- BREAK AND DEBURR ALL SHARP EDGES 0.3mm
- REMOVE ALL WELD SPLATTER
- 2. 3. 4.
- DIMENSIONS SHOWN ARE AFTER PLATING FINISH ZINC PLATE AS PER ASTM B633 TYPE 3 SC 2

I NO I NU	INVIREK I						
1 573	36024 H	D/S/O-7	/7500/9/1	4 SE	ERIES SAFETY	1	E
2 574	46013 HD/S	/0-7/750	00/9/12/14	4 SL	ACK SAFETY PIN	1	D
3 573	<u> 36031 HD/HDS LIC</u>	<u>GHT DUT</u>	<u>Y SERIES S</u>	LAC	CK SAFETY ARM PLATE	1	l E
DO NOT SCA	ALE DRAWING	NAME	DATE				
NEXT ASSEMBLY	DRAWN	GJZ	10/23/2007		1645 LEMO SANTA PAU		
5215595 5215617	CHECKED				3/11/1/1/40	L/ 1, C/	. 75000
5215596 5215619							
5215597 5215620 DIMENSIONS AI TOLERANCES:	REIN MM THIRD	ANGLE PRO	DJECTION	TITLE			
	0. = ±1.5	1			HD/HDS LIGHT DU'	ty Si	FRIFSL
5215602 5215622	$0.0 = \pm 0.5$				SLACK SAFETY WE		
5215603 5215623 ANGULAR:	0, = ±2°	// -	\equiv		STACK SALELL ME	LUIV	\
5215605 5215624 ANGULAR.	0 12	Γ	_	SIZE	DWG. NO.		REV
5215612 5215625 SURFACE FINISH	H 1.6 ISO Ra µm						
5215613 5215636 FOR MACHINED		PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS		Α	5600044		F
5215616 5215663 ONLESS OTHERY	THE SOLE PROPE	RTY OF BENDPAK	INC. ANY				.
		IN PART OR AS A MISSION OF BEND			SCALE: 1:2	SHEET	[1 OF 1
	TROTIBLES.				00, 122, 112		

DESCRIPTION

QTY REV

	REVISION			
REV	DESCRIPTION	DATE	EDITED BY	ECO#
J	UPDATED BOM REVISIONS AND NEXT ASSEMBLY	04/24/2013	TM	00593
K	UPDATED BOM REVISION	03/27/2014	TM	00648




	ITEM PART NO NUMBER			DESCRIP	TIOI	Ν	QT	Y REV
	1 5766006		HD-1	4 CROSST			ļ	D
	2 5735027 3 5755010		All	STUBE SA R SAFETY		'BLOCK UGH	Į	Š
	4 5/55011 5 5735023	HD-1	SMALI 4 SERI	ES TOP C	ROS	ROUGH S TUBE STRAP		T E
-	6 5/35039 7 5620190 8 5620191	HD/HD HD-14 C	SO-14 ROSS I	UBE END	PLA	OSS TUBE STRAP TE #1 WELDMENT		朣
	8 5620191 9 5620192 10 5620193	HD-14 C HD-14 C HD-14 C	ROSSI ROSSI ROSSI	UBE END	PLA PLA PLA	IE #2 WELDMENT IE #3 WELDMENT IF #4 WELDMENT		Þ
	11 5760003	110 14 0	HD.	-12/14 RA	МP	STOP	Ιİ	Ď
	DO NOT SCALE DRAWING		NAME	DATE				
		DRAWN	AC	12/06/2007	В	BendPak, 1645 LEMO SANTA PAU		
	DIMENSIONS ARE IN MM	CHECKED						
	TOLERANCES: 0. = ±1.5 0.0 = ±0.5	THIRD AN	IGLE PRO	DJECTION	TITLE	HD-14 CROSSTU		
	ANGULAR: 0. = ±2°	-()	E	\exists	WE	ELDMENT, SMALL V	VINE	OOW
	SURFACE FINISH 1.6 ISO Ra µm	l			SIZE	DWG. NO.		REV
NEXT ASSEMBLY	FOR MACHINED SURFACES UNLESS OTHERWISE SPECIFIED	THE INFORMATION C	OF BENDPAK	THIS DRAWING IS INC. ANY	Α	5600054		K
5215596		REPRODUCTION IN P THE WRITTEN PERMISS PROHIBITED.				SCALE: 1:20	SHEE	T 1 OF 2

NOTE: UNLESS OTHERWISE SPECIFIED. BREAK AND DEBURR ALL SHARP EDGES 0.3mm

- 1. 2. 3.
- REMOVE ALL WELD SPLATTER
- PAINT BENDPAK BLUE

REV	DESCRIPTION	DATE	EDITED BY	ECO#
J	UPDATED BOM REVISIONS AND NEXT ASSEMBLY	04/24/2013	TM	00593
K	UPDATED BOM REVISION	03/27/2014	TM	00648




TEM										
1		—				DESCRIP	TIO	N	QTY	REV
3755010		ì	F377000	HD-	14 CRC	DSSTUBE, L	_AR		1	E
S 5735023		2	5/3502/		<u>CROS</u>	STUBE SAI	<u>FE I Y</u>	<u> BLOCK </u>	2	C
S 5735023		3	5/55010		All	<u> PETY SAFETY</u>	<u>IRO</u>	<u>UGH</u>		C
A		4	5/55011		SMALI	<u> AIR SAFE</u>	<u> </u>			<u>C</u>
7 5620 90		5	5/35023	<u> </u>	<u> 14 SERI</u>	<u>ESTOP CI</u>	<u> </u>			<u>↓ </u>
DIMENSIONS ARE IN MM TOLERANCES: 0.0 = ±1.5 0.0 = ±0.5 ANGULAR: 0. = ±2° SURFACE FINISH 1.6 ISO RQ µm FOR MACHINED SURFACES UNLESS OTHERWISE SPECIFIED PROPRIETARY AND CONTRIBUTION THE INFORMACHINED SURFACES UNLESS OTHERWISE SPECIFIED PROPRIETARY AND CONTRIBUTION THE SOLE PROPRIETARY AND CONTRIB		6	5/35039	<u>HD/HL</u>	<u> </u>	<u>BOHOM</u>	<u>CR</u>	OSS TUBE STRAP		<u> </u>
DIMENSIONS ARE IN MM TOLERANCES: 0.0 = ±1.5 0.0 = ±0.5 ANGULAR: 0. = ±2° SURFACE FINISH 1.6 ISO RQ µm FOR MACHINED SURFACES UNLESS OTHERWISE SPECIFIED PROPRIETARY AND CONTRIBUTION THE INFORMACHINED SURFACES UNLESS OTHERWISE SPECIFIED PROPRIETARY AND CONTRIBUTION THE SOLE PROPRIETARY AND CONTRIB			5620190	<u>HD-14 C</u>	<u>Ross i</u>	UBE END	<u>PLA</u>	IE # I WELDMENI		<u> </u>
THIRD ANGLE PROJECTION TO \$620193 HD-14 CROSSTUBE END PLATE #4 WELDMENT E DO NOT SCALE DRAWING DO NOT SCALE DRAWING DRAWN JR 04/02/2008 CHECKED THIRD ANGLE PROJECTION THIRD ANGLE PROJECTION THIRD ANGLE PROJECTION THIRD ANGLE PROJECTION THE INFORMACHINED SURFACES: UNLESS OTHERWISE SPECIFIED PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTINUED IN THIS DEARWING IS THE SIGLE PROPRETIY OF BRIDDY AS INC. ANY REPORT OF AS AN AND CONFIDENTIAL THE INFORMATION CONTINUED IN THIS DEARWING IS THE SIGLE PROPRETIY OF BRIDDY AS INC. ANY REPORT OF AS AN AND CONFIDENTIAL THE INFORMATION CONTINUED IN THIS DEARWING IS THE SIGLE PROPRETIY OF BRIDDY AS INC. ANY REPORT OF AS AN AND CONFIDENTIAL THE INFORMATION CONTINUED IN THIS DEARWING IS THE SIGLE PROPRETIY OF BRIDDY AS INC. ANY REPORT OF AS AN AND CONFIDENTIAL THE INFORMATION CONTINUED IN THIS DEARWING IS THE SIGLE PROPRETIY OF BRIDDY AS INC. ANY REPORT OF AS AN AND CONFIDENTIAL THE INFORMATION CONTINUED IN THIS DEARWING IS THE SIGNE PROPRETIY OF BRIDDY AS INC. ANY REPORT OF AS AN AND CONFIDENTIAL THE INFORMATION CONTINUED IN THIS DEARWING IS THE SIGNE PROPRETIY OF BRIDDY AS INC. ANY REPORT OF AS AN AND CONFIDENTIAL THE INFORMATION CONTINUED IN THIS DEARWING IS THE SIGNE PROPRETIY OF BRIDDY AS INC. ANY REPORT OF AS AN AND CONFIDENTIAL THE INFORMATION CONTINUED IN THIS DEARWING IS THE SIGNE PROPRETIY OF BRIDDY AS INC. ANY REPORT OF AS AN AND CONFIDENTIAL THE INFORMATION CONTINUED IN THIS DEARWING IS THE SIGNE PROPRETIY OF BRIDDY AS INC. ANY REPORT OF AS AN AND CONFIDENTIAL THE INFORMATION CONTINUED IN THE SIGNE PROPRETIY OF BRIDDY AS INC. ANY REPORT OF AS AN AND CONFIDENTIAL THE INFORMATION CONTINUED IN THE SIGNE PROPRETIY OF BRIDDY AS INC. ANY REPORT OF AS AN AND CONFIDENTIAL THE PROPRETIY OF			5620191	<u>HD-14 C</u>	ROSST	<u>UBE END I</u>	PLA	IE #2 WELDMENT		L E
DIMENSIONS ARE IN MM TOLERANCES: O, = ±1.5 O, 0 = ±0.5 ANGULAR: O, = ±2.2° SURFACE FINISH 1.6 ISO RO µm FOR MACHINED SURFACES UNLESS OTHERWISE SPECIFIED THE INFORMATION CONTRANED IN HIS DEAWNING IS HE SICH PROPERTY AND COMPIDENTIAL THE INFORMATION CONTRANED IN HIS DEAWNING IS HE SICH PROPERTY OF BRIDDY AND CANY REPROPERTY OF BRIDDY AND CONTRANED IN HIS DEAWNING IS HE SICH PROPERTY OF BRIDDY AND CONTRANED IN HIS DEAWNING		9	5620192	<u>HD-14 C</u>	ROSST	<u>UBE END I</u>	PLA	TE #3 WELDMENT		
DIMENSIONS ARE IN MM TOLERANCES: 0.0 = ±1.5 0.0 = ±0.5 ANGULAR: 0. = ±2° SURFACE FINISH 1.6 ISO RO µm FOR MACHINED SURFACES UNLESS OTHERWISE SPECIFIED PROPRIEARY AND CORRISON IN IN DEAMING IS THE SION ENCORPORATION IN INC. DAYS REPRODUCTION IN PART OR AS A WHOLE WITHOUT PROPRIEARY AND CORRISON IN INC. DAYS REPRODUCTION IN PART OR AS A WHOLE WITHOUT A 5600058 K 1645 LEMONWOOD DR. SANTA PAULA, CA 93060 TITLE: HD-14 CROSSTUBE WELDMENT, LARGE WINDOW SIZE DWG. NO. REV FROM THE INFORMACION CONTRIBUTION THE SIDE PROPRIEARY AND CORRISON IN IN DEAMING IS THE SIDE PROPRIEARY AND CORRISON IN INC. DAYS REPRODUCTION IN PART OR AS A WHOLE WITHOUT		10	5620193	<u>HD-14 C</u>	<u>ROSST</u>	<u>UBE END I</u>		<u>TE #4 WELDMENT</u>		<u>E</u>
DRAWN JR 04/02/2008 DIMENSIONS ARE IN MM TOLERANCES: 0. = ±1.5 0.0 = ±0.5 ANGULAR: 0. = ±2° SURFACE FINISH 1,6 SOR a j.m. FOR MACHINED SURFACES UNLESS OTHERWISE SPECIFIED PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SIGLE PROPERTY OF BENDFAX INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT			5/60003		<u>HD</u>	<u>-12/14 RA</u>	<u>MP</u>	SIOP		
DIMENSIONS ARE IN MM TOLERANCES: 0. = ±1.5 0.0 = ±0.5 ANGULAR: 0. = ±		DO NO	OT SCALE DRAWING		NAME	DATE				
DIMENSIONS ARE IN MM TOLERANCES: 0.0 = ±1.5 0.0 = ±0.5 ANGULAR: 0. = ±2° SURFACE FINISH 1.6 ISO RQ µm FOR MACHINED SURFACES UNLESS OTHERWISE SPECIFIED THE INFORMACHINED SURFACES UNLESS OTHERWISE SPECIFIED THE INFORMACHINED SURFACES THE SIOE PROPRIETARY AND CONFIDENTIAL INC. ANY REPRODUCTION IN PART OR AS A MOLDE WITHOUT THE INFORMACHINED SURFACES THE SIOE PROPRIETARY AND CONFIDENTIAL INC. ANY REPRODUCTION IN PART OR AS A MOLDE WITHOUT THE INFORMACHINED SURFACES THE SIOE PROPRIETARY AND CONFIDENTIAL INC. ANY REPRODUCTION IN PART OR AS A MOLDE WITHOUT THE INFORMACHINED SURFACES THE SIOE PROPRIETARY AND CONFIDENTIAL INC. ANY REPRODUCTION IN PART OR AS A MOLDE WITHOUT THE PROPRIETARY AND CONFIDENTIAL INC. ANY REPRODUCTION IN PART OR AS A MOLDE WITHOUT THE INFORMACHINED SURFACES THE INFORMACH				DRAWN	JR	04/02/2008	В	DCIIUCARO CANTA DALII	IWOOI LA, CA	DR. 93060
O. = ±1.5 O. 0 = 0.5 ANGULAR: 0. = ±2° SURFACE FINISH 1.6 ISO RQ µm FOR MACHINED SURFACES UNLESS OTHERWISE SPECIFIED THE INFORMACHINED SURFACES THE INFORMAC		DIMENSI	ONS ARE IN MM	CHECKED						
0.0 = ±0.5 ANGULAR: 0. = ±2° SURFACE FINISH 1.6 SO R0 µm FOR MACHINED SURFACES UNLESS OTHERWISE SPECIFIED THE INFORMATION CONTAINED IN THIS DRAWING IS THE SIGLE PROPERTY OF BENDRAK INC. ANY REPRODUCTION IN PART OR 8.5 A WHOLE WITHOUT		TOLERAN		THIRD AT	NGLE PRO	DJECTION	TITLE			
ANGULAR: 0. = ±2° SURFACE FINISH 1.6 ISO RQ µM FOR MACHINED SURFACES UNLESS OTHERWISE SPECIFIED PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BENDRAK INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT				1				HD-14 CROSSTU	JBF	
SURFACE FINISH 1.6 ISO RO µM FOR MACHINED SURFACES UNLESS OTHERWISE SPECIFIED THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BENDRAK INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT		ANGULA			⊏	\preceq	WF			\cap W
FOR MACHINED SURFACES UNLESS OTHERWISE SPECIFIED PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BENDRAK INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT		ANGULA	AR. U 12	I Ψ	_			·		
UNLESS OTHERWISE SPECIFIED PROPRIETARY AND CONFIDENTIAL P		SURFACI	E FINISH 1.6 ISO Ra µm				SIZE	DWG. NO.		REV
	V			THE INFORMATION O	CONTAINED IN	THIS DRAWING IS	Α	5600058		K
	<u> ľ </u>			THE WRITTEN PERMIS				SCALE: 1:20	SHEET	1 OF 2


NOTE: UNLESS OTHERWISE SPECIFIED. 1. BREAK AND DEBURR ALL SHARP EDGES 0.3mm

- REMOVE ALL WELD SPLATTER
- 2. PAINT BENDPAK BLUE

NEXT ASSEMBLY 5215595



	REVISION			
REV.	DESCRIPTION		EDITED BY	ECO#
О	REPLACED 5545007 WITH 5745317	01/20/2009	AC	00266
Е	WAS 235 NOW 229, UPDATED BOM REVISIONS	03/08/2010	TM	00333
F	ADDED 5735289	04/23/2010	TM	00351




	ITEM NO	.IPART NU	ивеri		DESC	CRIF	PTION	QTY. RE	ĪV
	1	57010	51	HD-	14 CYLINI	DER	FLANGE ARM] C	١,
	$\frac{2}{2}$	5/3602		HD-	14 CABLE	RE	TAINER BLOCK FLANGE ARM SPACER		_
	1 3	573528		4 SERIE		P F	FLANGE ARM SPACER LANGE ARM SPACER	 	
	PO NOT CO			1103-12	DATE		LANGE AKWI SI ACEK		
	DO NOI SC	ALE DRAWING		NAME	DATE	_			.
	DIMENSIONS A		DRAWN	AC	12/17/2007	В	BendPak, 1645 LEMOI	NWOOD DR LA, CA 9306	
	TOLLKANCES.	$0. = \pm 1.5$ $0.0 = \pm 0.5$	CHECKED	AC	04/31/2010				
	ANGULAR:	0. = ±2°	THIRD AN	NGLE PRO	DJECTION	TITLE	E: HD-14 CYLINDER FI	ANGE	:
	SURFACE FINIS	SH 1.6 ISO Ra µm ED SURFACES RWISE SPECIFIED	 	=	\exists	•	ARM WELDME		
	MATERIAL:	(MI2E 2LECILIED			_	SIZE	DWG. NO.	REV	
			PROPRIETAR:	Y AND CONFI	DENTIAL	^	E/00070	_	
LIEVE LOOF (BLV	SIZE:	_	THE INFORMATION C THE SOLE PROPERTY REPRODUCTION IN P	ONTAINED IN OF BENDPAK	THIS DRAWING IS INC. ANY	Α	5600079	-	
NEXT ASSEMBLY 5215033			THE WRITTEN PERMISS PROHIBITED.				SCALE: 1:2	SHEET 1 OF	F 2

NOTE: UNLESS OTHERWISE SPECIFIED.

- BREAK AND DEBURR ALL SHARP EDGES 0.3mm REMOVE ALL WELD SPLATTER PAINT BENDPAK BLUE
- 1. 2. 3.


	REVISION			
REV	DESCRIPTION	DATE	EDITED BY	ECO#
D	UPDATED DRAWING, REMOVED 5755028, ADDED	06/16/2008	TM	00206
_	ONE 5755027, CHANGED ROLLER CLEVIS PLATE	,,		
	DISTANCE 38 WAS 57 (2ND PAGE)			
D-001	CHANGED SURFACE FINISH FROM 3.2 µm	09/09/2008	GJ	00237
	TO 1.6 Ra µm			
E	ADDED HD/S-14 SERIES TO TITLE	10/05/2009		00300
F	UPDATED BOM REVISION	07/30/2010	TM	00387
F-001	CHANGED PAINT COLOR FROM BLUE TO YELLOW	12/08/2010	TM	00427
	AND ADDED PAINT SPEC NUMBER	· ·		




NOTE: UNLESS OTHERWISE SPECIFIED.

- BREAK AND DEBURR ALL SHARP EDGES 0.3mm
- 2. 3. REMOVE ALL WELD SPLATTER
- GRIND/SAND EXTERIOR CORNERS/WELDS SMOOTH PAINT BENDPAK YELLOW 583-2T
- 4.
- APPLY #30 GRIT ALUMINUM OXIDE WHEN PAINTING TO TOP ONLY AFTER WELDING

	IITEM NO.	A NO.[PART NUMBER] DESI				RIP	ION	L QTY.	. I REV
	1	57000	62		RAMP			3	С
	2	570103	34		<u>DRIVE UP</u>	<u>RA1</u>	ИР SHELL	1	D
	3 5755027 RAMF					<u> 2 HII</u>	NGE	2	C
	4	57000	00063 SUPPOR			<u>RT_A</u>	NGLE	1	<u> D</u>
	5	<u>573608</u>	33		<u>ROLLER C</u>	<u>TF7</u>	<u>IS PLATE</u>	2	<u> </u>
	6	5/300	12		RAN	P S	OP .		
	DO NOT SCA	LE DRAWING		NAME	DATE		_		
	DIMENSIONS AI	RE IN MM	DRAWN	JR	04/30/2008	В	BendPak, 1645 LEN		OOD DR. CA 93060
		0. = ±1.5 0.0 = ±0.5	CHECKED	AC	12/13/2010				
	ANGULAR:	0. = ±2°	THIRD	ANGLE PRO	DJECTION	TITLE	HD/S-14 SERIES	DBI/	/E
	SURFACE FINISH FOR MACHINES UNLESS OTHERV	H 1.6 ISO Ra µm D SURFACES)∈	\exists		UP RAMP WELL		
	MATERIAL:	VISE SI ECII IED	Ţ			SIZE	DWG. NO.		REV
	SIZE: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BENDFAK INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT					Α	5600138		F
				2300100		'			
<u></u>	-	-	THE WRITTEN PERM PROHIBITED.				SCALE: 1:12	SHE	ET 1 OF 2







BENDPAK Number:	5900037
MRP Description:	HD-14 INSTALLATION MANUAL
Date:	12/28/2010
ECO:	00431

1. Engineering Specification

Application:



Approved Vendor	Vendor Part #	Contact #	Preferred Vendor
1)			




BENDPAK Number:	5900147
MRP Description:	SAFETY MANUAL ALI / SM 93-1
Date:	12/28/2010
ECO:	00431

1. Engineering Specification

Application:

ALI SAFETY MANUAL



Approved Vendor	Vendor Part #	Contact #	Preferred Vendor
1)			




BENDPAK Number:	5900152
MRP Description:	ALIGN OIM OPERATION INSPECTION & MAINTENANCE
Date:	12/28/2010
ECO:	00431

1. Engineering Specification

Application:

ALI OPERATION INSPECTION & MAINTENANCE MANUAL



Approved Vendor	Vendor Part #	Contact #	Preferred Vendor
1)			



BENDPAK Number:	5905103
MRP Description:	WARNING ALI/WL 200
Date:	05/06/2013
ECO:	00593

1. Engineering Specification

Application:

ALI 4 POST SAFETY STICKER KIT

Detailed Description:



<u>SIZE:</u> 11" L x 8.5" W (279mm x 216mm)

Approved Vendor	Vendor Part #	Contact #	Preferred Vendor
1)			



BENDPAK Number:	5905151
MRP Description:	SAFETY TIPS CARD ALI-ST 90
Date:	12/28/2010
ECO:	00431

Application: ALI SAFETY TIPS Detailed Description: Automotive Lift SAFETY TIPS Professe skelling updated for yell the account resident by your fit operator. For interesting requires the still requirement resident by your fit operator. For interesting requirement of your fit operator. For interesting requirement of your fit operator. For interesting requirement of your fit operator. 1. Inspect year your fit operator. For interesting requirement of your fit operator. For interesting requirement of your fit operator. For interesting requirement of your fit operator. 3. Inspect greater your fit operator. For interesting reputation of your fit operator. For your fit your fit operator. For your fit operator. For your fit operator. For your fit operator. For your fit your fit operator.

2. Vendor Information Approved Vendor Vendor Part # Contact # Preferred Vendor 1)



BENDPAK Number:	5905311
MRP Description:	BENDPAK LABEL; 4 x 38" WHITE INK
Date:	05/13/2015
ECO:	00689

1. Engineering Specification

Application:

BENDPAK LABEL


Detailed Description:



SIZE: 38" L x 4.25" W (965mm x 108mm)

- Material: Yellow Represents Clear Adhesive PET
- Size: 4.25"W x 38"H
- Thickness: 4 Mil
- Finish: Polished
- Ink: U.V. protected, Opaque White
- Print Process: Silk Screen, 85 line-screen (Opaque White ink, clear adhesive PET will fill in blank areas.)
- Lamination: Clear-gloss over-laminate for abrasion, chemical, and ultra violet protection


Approved Vendor	Vendor Part #	Contact #	Preferred Vendor
1)			













ABOVE OBOUND LIETO





1645 Lemonwood Driv Santa Paula, CA 93060 U.S.A. (805) 933-9970



BENDPAK Number:	5905465
MRP Description:	MANUFACTURER LABEL
Date:	05/07/2013
ECO:	00593

1. Engineering Specification

Application:

MANUFACTURER LABEL

Detailed Description:

MFD. BY BENDPAK INC.

LIFT TYPE: SURFACE MOUNT CAPACITY: MED/HVY DTY
POWER: ELECTRIC/HYDRAULIC ANCHORS: AS EQUIPPED INSTALLATION - SEE OWNERS GUIDE OR CONTACT FACTORY

SHIPPING DAMAGE CLAIMS
WHEN THIS EQUIPMENT IS SHIPPED, TITLE PASSES TO THE PURCHASER
UPON RECEIPT FROM THE CARRIER. CONSEQUENTLY, CLAIMS FOR THE
MATERIAL DAMAGED IN SHIPMENT MUST BE MADE BY THE PURCHASER
AGAINST THE TRANSPORTATION COMPANY AT THE TIME SHIPMENT IS
RECEIVED.

PLEASE READ ALL OPERATORS/USERS MANUAL(S) PRIOR TO INSTALLATION AND OPERATION. UNDERSTAND AND COMPREHEND THE FULL CONTENTS OF EACH MANUAL(S) PRIOR TO INSTALLATION AND OPERATION. DELIVER THE MANUAL(S) TO ALL OPERATORS. FAILURE TO OPERATE THIS EQUIPMENT AS DIRECTED MAY CAUSE INJURY OR DEATH.

IMPORTANT NOTE:
BENDPAK LIFTS ARE SUPPLIED WITH CONCRETE FASTENERS MEETING THE
CRITERIA AS PRESCRIBED BY ASTM E488 - 96(2003). LIFT BUYERS ARE
RESPONSIBLE FOR ANY SPECIAL REGIONAL STRUCTURAL AND/OR SEISMIC
ANCHORING REQUIREMENTS SPECIFIED BY ANY OTHER AGENCIES AND/OR
CODES SUCH AS THE UNIFORM BUILDING CODE (UBC) AND/OR
INTERNATIONAL BUILDING CODE (IBC).



INTERNAL BAR CODE - FOR FACTORY AUDIT ONLY 34086

BPK STYOT P20KVR X18576 HVY DTY/ GVR 832
THE MANUFACTURE, USE, SALE OR IMPORT OF THIS PRODUCT MAY BE SUBJECT TO ONE OR MORE UNITED STATES PATENTS, OR PENDING APPLICATIONS, OWNED BY BENDPAK, INC.

ENGINEERED BY BENDPAK INC USA

MADE IN CHINA

SIZE: 5.125" L x 5.125" W (130mm x 130mm)

		_	
Approved Vendor	Vendor Part #	Contact #	Preferred Vendor
1)			

MFD. BY BENDPAK INC.

LIFT TYPE: SURFACE MOUNT CAPACITY: MED/HVY DTY

POWER: ELECTRIC/HYDRAULIC ANCHORS: AS EQUIPPED

INSTALLATION - SEE OWNERS GUIDE OR CONTACT FACTORY

SHIPPING DAMAGE CLAIMS

WHEN THIS EQUIPMENT IS SHIPPED, TITLE PASSES TO THE PURCHASER UPON RECEIPT FROM THE CARRIER. CONSEQUENTLY, CLAIMS FOR THE MATERIAL DAMAGED IN SHIPMENT MUST BE MADE BY THE PURCHASER AGAINST THE TRANSPORTATION COMPANY AT THE TIME SHIPMENT IS RECEIVED.

PLEASE READ ALL OPERATORS/USERS MANUAL(S) PRIOR TO INSTALLATION AND OPERATION. UNDERSTAND AND COMPREHEND THE FULL CONTENTS OF EACH MANUAL(S) PRIOR TO INSTALLATION AND OPERATION. DELIVER THE MANUAL(S) TO ALL OPERATORS. FAILURE TO OPERATE THIS EQUIPMENT AS DIRECTED MAY CAUSE INJURY OR DEATH.

IMPORTANT NOTE:

BENDPAK LIFTS ARE SUPPLIED WITH CONCRETE FASTENERS MEETING THE CRITERIA AS PRESCRIBED BY ASTM E488 — 96(2003). LIFT BUYERS ARE RESPONSIBLE FOR ANY SPECIAL REGIONAL STRUCTURAL AND/OR SEISMIC ANCHORING REQUIREMENTS SPECIFIED BY ANY OTHER AGENCIES AND/OR CODES SUCH AS THE UNIFORM BUILDING CODE (UBC) AND/OR INTERNATIONAL BUILDING CODE (IBC).



INTERNAL BAR CODE - FOR FACTORY AUDIT ONLY 34086

BPK STYOT P20KVR X18576 HVY DTY/ GVR 832

THE MANUFACTURE, USE, SALE OR IMPORT OF THIS PRODUCT MAY BE SUBJECT TO ONE OR MORE UNITED STATES PATENTS, OR PENDING APPLICATIONS, OWNED BY BENDPAK, INC.

ENGINEERED BY BENDPAK INC USA

MADE IN CHINA



BENDPAK Number:	5905556
MRP Description:	4-POST SAFETY DECAL
Date:	05/06/2013
ECO:	00593

1. Engineering Specification

Application:

4-POST SAFETY DECAL

Detailed Description:



SIZE: 23" L x 4" W (584m x 100mm)

Approved Vendor	Vendor Part #	Contact #	Preferred Vendor
1)			

DMMC



SAFETY LOCKS ARE ENGAGED BEFORE **ENTERING WORK AREA.** Suspension components used on this lift are intended

to raise and lower lift only and are NOT meant to be load-holding devises. Remain clear of elevated lift unless visual confirmation is made that all primary safety locks are fully engaged and the lift is LOWERED onto the safety locks. Refer to installation/operation manual for proper safety lock procedures and/or further instruction.

WIRE ROPE INSPECTION AND MAINTENANCE

Lifting cables should be replaced every (3) three years or when visible signs of damage are apparent. DO NOT USE LIFT WITH DEFECTIVE OR WORN CABLES.

- Wire rope should be maintained in a well-lubricated condition at all times. Wire rope is only fully protected when each wire strand is lubricated both internal and external. Excessive wear will shorten the life of the wire rope. The
- factory suggests wire rope lubricant that penetrates to the core of the rope and provides long-term lubrication between each individual strand. In order to make sure that the inner layers of the rope remain well lubricated, lubrication should be carried out at intervals not exceeding three (3) months during operation. All sheaves and guide rollers in contact with the moving wire rope should be given regular visual checks for surface wear and lubricated to make sure that they run freely. This operation should be carried out at appropriate intervals
- generally not exceeding three (3) months during operation. For all sheave axles, the factory recommends standard wheel bearing grease. For all sheaves and/or guide rollers, the factory recommends 90-WT gear oil or similar heavy lubricant applied by any method including pump/spray dispensing, brush, hand and/or swabbing. Failure to read, understand and follow these instructions may cause death or serious injury. Read

before using lift. IMPORTANT **OPERATION / MAINTENANCE**

INSTRUCTIONS - PLEASE READ

TO RAISE LIFT

✓ Set parking brake or use wheel chock to hold vehicle in position. Before raising vehicle, be sure all personnel are clear of lift and surrounding area. Pay careful attention to overhead clearances. Raise lift to desired height by pressing push button on power unit. Maintain visual contact with vehicle and surrounding area at all

and understand these instructions

STOP IMMEDIATELY if load shifts or becomes unlevel. After vehicle is raised to desired height, lower lift onto the nearest

safety lock. Do not allow cables to become excessively slack. ALWAYS INSURE ALL PRIMARY SAFETY LOCKS ARE ENGAGED

Press push button AIR SAFETY VALVE and HOLD.

times while lowering lift.

before entering work area.

descended completely.

maintenance.

engage simultaneously.

Position vehicle tires at the center of each runway.

Before lowering vehicle, be sure all personnel, tools and equipment are clear of lift and surrounding area. Raise lift by pressing RAISE BUTTON on power unit. Elevate lift at least two inches to allow adequate clearance for locks to clear.

TO LOWER LIFT

Lower vehicle by pressing power unit lowering handle until lift has

When lowering lift PAY CAREFUL ATTENTION that all personnel

ALWAYS make sure that ALL LOCKS are disengaged. If one of the locks inadvertently engages on descent, lift and/or vehicle may

and objects are kept clear. ALWAYS keep a visual line of site on lift AT ALL TIMES.

disrupt causing personal injury or death.

REQUIRED MONTHLY MAINTENANCE ALWAYS consult operation manual for factory recommended

Adjust lift cables to ensure lift raises level and safety locks

- Check all chain/cable connections, bolts and pins to insure proper mounting. Visually inspect safety locks for proper operation.
- Visually inspect concrete floor. DO NOT USE LIFT if concrete foundation shows signs of deterioration. Inspect all anchor bolts and retighten if necessary.
- Check columns for squareness and plumb. Inspect all bolts and/or fasteners making sure they are properly secured.
- Make a visual inspection of ALL MOVING PARTS and check for excessive signs of wear. Replace ALL FAULTY PARTS before lift is put back into operation.
- 1. WARNING: If cement anchor bolts are loose, or any component
- 2. Never operate the lift with any person or equipment below.

by dampness is not covered under warranty.

- 3. Never exceed rated capacity.
- 4. Always insure safety locks are engaged before any attempt is made to work on or near vehicle.

of the lift is found to be defective, DO NOT USE LIFT!

- 5. Never leave lift in an elevated position unless the safety locks
- are engaged. 6. Do not permit electric motor to get wet! Motor damage caused



BENDPAK Number:	5905557
MRP Description:	MAX CAP DANGER 14K
Date:	05/06/2013
ECO:	00593


1. Engineering Specification

Application:

LIFT CAPACITY STICKER

Detailed Description:

SIZE: 5" L x 4" W (127mm x 100mm)



7000 lbs. / 3175 kg

Max. Lifting Cap. / Rear of Lift Center 7000 lbs. / 3175 kg

Exceeding the weight capacity of this lift can damage lift and/or property and may cause personal harm, injury or death to operators and/or bystanders. All vehicles MUST be positioned on lift with CENTER OF GRAVITY midway between adapters and/or centered on runways. Damage to lift due to overloading or misuse IS NOT covered under warranty.

Approved Vendor	Vendor Part #	Contact #	Preferred Vendor
1)			

ADANGER

THE MAXIMUM LIFTING CAPACITY FOR THIS LIFT IS DESCRIBED BELOW

Maximum Lifting Capacity 14,000 lbs. / 6350 kg

Max. Lifting Cap. / Front of Lift Center 7000 lbs. / 3175 kg

Max. Lifting Cap. / Rear of Lift Center 7000 lbs. / 3175 kg

Exceeding the weight capacity of this lift can damage lift and/or property and may cause personal harm, injury or death to operators and/or bystanders. All vehicles MUST be positioned on lift with CENTER OF GRAVITY midway between adapters and/or centered on runways. Damage to lift due to overloading or misuse IS NOT covered under warranty.



BENDPAK Number:	5905940
MRP Description:	PRODUCT DATA LABEL
Date:	05/06/2013
ECO:	00593

1. Engineering Specification

Application:

PRODUCT DATA LABEL

Detailed Description:



SANTA PAULA, CA USA WWW.BENDPAK.COM

LIFT TYPE: SURFACE MOUNT CAP: MED/HVY DTY MFG. BPK SEE DATA PLATE FOR PRODUCT DETAILS POWER: ELECTRIC/HYDRAULIC INSTALLATION - SEE OWNERS GUIDE OR CONTACT FACTORY

SAFETY INSTRUCTIONS: IF ATTACHMENTS, ACCESSORIES OR CONFIGURATION MODIFYING COMPONENTS THAT ARE LOCATED IN THE LOAD PATH, AFFECT OPERATION OF THE LIFT, AFFECT THE LIFT ELECTRICAL LISTING OR AFFECT INTENDED VEHICLE ACCOMMODATION ARE USED ON THIS LIFT AND, IF THEY ARE NOT CERTIFIED FOR USE ON THIS LIFT, THEN THE CERTIFICATION OF THIS LIFT SHALL BECOME NULL AND VOID. CONTACT THE PARTICIPANT FOR INFORMATION PERTAINING TO CERTIFIED ATTACHMENTS, ACCESSORIES OR CONFIGURATION MODIFYING COMPONENTS.

BENDPAK LIFTS ARE SUPPLIED WITH CONCRETE FASTENERS MEETING THE CRITERIA AS PRESCRIBED BY ASTM 6488 - 96(2003). LIFT BUYERS ARE RESPONSIBLE FOR ANY SPECIAL REGIONAL STRUCTURAL AND/OR SEISMIC ANCHORING REQUIREMENTS SPECIFIED BY ANY OTHER AGENCIES AND/OR CODES SUCH AS THE UNIFORM BUILDING CODE (UBC). AND/OR INTERNATIONAL BUILDING CODE (IBC).

THE MANUFACTURE, USE, SALE OR IMPORT OF THIS PRODUCT MAY BE SUBJECT TO ONE OR MORE UNITED STATES PATENTS, OR PENDING APPLICATIONS, OWNED BY BENDPAK, INC.

DO NOT REMOVE ENGINEERED BY BENDPAK INC. USA MADE IN CHINA

SIZE: 2.3" L x 4.5" W (58mm x 114mm)

Approved Vendor	Vendor Part #	Contact #	Preferred Vendor
1)			



SANTA PAULA, CA USA WWW.BENDPAK.COM PN 5905940

LIFT TYPE: SURFACE MOUNT CAP: MED/HVY DTY MFG. BPK SEE DATA PLATE FOR PRODUCT DETAILS

POWER: ELECTRIC/HYDRAULIC

INSTALLATION - SEE OWNERS GUIDE OR CONTACT FACTORY

SAFETY INSTRUCTIONS: IF ATTACHMENTS, ACCESSORIES OR CONFIGURATION MODIFYING COMPONENTS THAT ARE LOCATED IN THE LOAD PATH, AFFECT OPERATION OF THE LIFT, AFFECT THE LIFT ELECTRICAL LISTING OR AFFECT INTENDED VEHICLE ACCOMMODATION ARE USED ON THIS LIFT AND, IF THEY ARE NOT CERTIFIED FOR USE ON THIS LIFT, THEN THE CERTIFICATION OF THIS LIFT SHALL BECOME NULL AND VOID. CONTACT THE PARTICIPANT FOR INFORMATION PERTAINING TO CERTIFIED ATTACHMENTS, ACCESSORIES OR CONFIGURATION MODIFYING COMPONENTS.

BENDPAK LIFTS ARE SUPPLIED WITH CONCRETE FASTENERS MEETING THE CRITERIA AS PRESCRIBED BY ASTM E488 - 96(2003). LIFT BUYERS ARE RESPONSIBLE FOR ANY SPECIAL REGIONAL STRUCTURAL AND/OR SEISMIC ANCHORING REQUIREMENTS SPECIFIED BY ANY OTHER AGENCIES AND/OR CODES SUCH AS THE UNIFORM BUILDING CODE (UBC) AND/OR INTERNATIONAL BUILDING CODE (IBC).

THE MANUFACTURE, USE, SALE OR IMPORT OF THIS PRODUCT MAY BE SUBJECT TO ONE OR MORE UNITED STATES PATENTS, OR PENDING APPLICATIONS, OWNED BY BENDPAK, INC.

DO NOT REMOVE ENGINEERED BY BENDPAK INC. USA MADE IN CHINA



BENDPAK Number:	: 5905952	
MRP Description:	LABEL C (4-POST LIFTS NO CE)	
Date:	11/23/2015	
ECO:	00740	

1. Engineering Specification			
Application:			
DATA SERIAL TAG, 4-POST LIFTS, NO CE			
Detailed Description:			
BP BendPak. Santa Paula, CA USA www.bendpak.com			
MODEL NUMBER SERIAL NUMBER	<u>SIZE:</u> 3.38" L x 3.38" W		
MODEL HOMBEN SENIAL HOMBEN	(85.7mm x 85.7mm)		
LIFT CAPACITY DATE OF MFG.			
ROLLING JACK MAX CAP. MAX PSI / BAR			
VOLTAGE			
☐ 110-240VAC, 50-60 Hz, 1 Ph ☐ 208-440VAC, 50-60 Hz, 3 Ph			
208-240VAC, 50-60 Hz, 1 Ph 208-440VAC, 50-60 Hz, 3 Ph			
DANGER!			
Disconnect Power Before Senicing			
☞ [H[PM 5905952			

2. Vendor Information (Or for Reference)

	Approved Vendor	Vendor Part #	Contact #	Preferred Vendor
1)				
2)				
OR BENDPAK ENGINEERING APPROVED EQUIVALENT				



Santa Paula, CA USA www.bendpak.com

MODEL NUMBER

SERIAL NUMBER

LIFT CAPACITY

DESCRIPTION

ROLLING JACK MAX CAP.

MAX PSI / BAR

VOLTAGE

- 110-240VAC, 50-60 Hz, 1 Ph 208-240VAC, 50-60 Hz, 1 Ph
- 380-415VAC, 50-60 Hz, 3 Ph
- 208-440VAC, 50-60 Hz, 3 Ph

DATE OF MFG.



WARRANTY VOID IF DATA PLATE IS REMOVED





PN 5905952



2016 NON-CE 4 Post Lifts Colors & Graphics

MODELS:

HD-9SW HDS-40 HD-9SWX HDS-40X HD-14T HD-9AE

4/7/16

CONFIDENTIAL INFORMATION.

You may not disclose, print, copy or disseminate this information.

Unauthorized use is a violation of federal criminal law.

4 Post Lifts Product Decal Positioning



B

WISUALLY CONFIRM THAT ALL PRIMARY
AND THE CONFIRM THAT ALL PRIMARY
AND THAT ALL PRIMARY
AND THE CONFIRM THAT ALL PRIMARY
AND THAT ALL PRIMARY
AND THE CONFIRM THAT ALL PRIMARY
AND THAT ALL PRIMARY
AND THAT ALL PRIMARY
AND THE CONFIRM THAT ALL PRIMARY
AND THE CONFIRM THAT ALL PRIMARY
AND THAT ALL PRIMARY
AND THE CONFIRM THAT ALL P

IMPORTANT

OPERATION / MAINTENANCE
INSTRUCTIONS - PLEASE READ

Plants and the control of the con

C



Ali_4_Post_labels.pdf: (Order Labels from ALI)

Total of 4

PN 5905311

BPK Post Branding Decal-Large_5905311.pdf:

Material: Clear Adhesive PET Size: 4.25"W x 38"H Thickness: 4 Mil

Finish: Polished

Ink: U.V. protected, Opaque White

Print Process: Silk Screen, 85 line-screen (Yellow color in file represents what should be clear PET material and SHOULD NOT print as Yellow ink. White area in file represents Opaque White ink.)

Lamination: Clear-gloss over-laminate for abrasion, chemical, and ultra violet protection

4_Post_Safety_Decal.pdf:

Size: 4"W x 23"H

Material: White Vinyl Pressure Sensitive Adhesive

PN 5905556

Thickness: 4 Mil

Ink: U.V. protected CMYK 2/C Process

Finish: Polished


Print Process: Offset Lithography - 200 line-screen

or 300 p.p.i. for digital

Lamination: Clear-gloss over-laminate for abrasion, chemical, and ultra violet protection

4 Post Lifts Product Decal Positioning





P/N 5905401 - Max Cap. Danger 7k P/N 5905695 - Max. Cap. Danger 7500 P/N 5905402 - Max Cap. Danger 9k P/N 5905557 - Max. Cap. Danger 14K P/N 5905406 - Max Cap. Danger 18k P/N 5905407 - Max. Cap. Danger 27K P/N 5905408 - Max. Cap. Danger 35K

P/N 5905409 - Max. Cap. Danger 40K

*Max. Cap. Danger.pdf:

Size: 4"W x 5"H

Material: White Vinyl Pressure Sensitive Adhesive

Thickness: 4 Mil

Ink: U.V. protected CMYK 2/C Process

Finish: Polished

Print Process: Offset Lithography - 200 line-screen or 300 p.p.i. for digital

Lamination: Clear-gloss over-laminate for abrasion, chemical, and ultra violet protection

MAXIMUM LIFTING CAPACITY
Lbs.
Kg.

P/N 5905645 - NRTL_Lifting_Cap_Label_7K
P/N 5905700 - NRTL_Lifting_Cap_Label_7500
P/N 5905650 - NRTL_Lifting_Cap_Label_9k
P/N 5905665 - NRTL_Lifting_Cap_Label_14k
P/N 5905675 - NRTL_Lifting_Cap_Label_18k
P/N 5905680 - NRTL_Lifting_Cap_Label_27k
P/N 5905685 - NRTL_Lifting_Cap_Label_35K
P/N 5905690 - NRTL_Lifting_Cap_Label_40K

*NRTL_Lifting_Cap_Label_.pdf:

Size: 4.5"W x 3.25"H

Material: White Vinyl Pressure Sensitive Adhesive

Thickness: 4 Mil

Ink: U.V. protected CMYK 2/C Process

Finish: Polished

Print Process: Offset Lithography - 200 line-screen or 300 p.p.i. for digital

Lamination: Clear-gloss over-laminate for abrasion, chemical, and ultra violet protection

*DEPENDS ON LIFT MODEL AND CAPACITY



PN 5905940

Product_Data_Label_5905940-New.pdf:

Size: 4.5"W x 2.3"H

Material: White Vinyl Pressure Sensitive Adhesive


Thickness: 4 Mil

Ink: U.V. protected CMYK 2/C Process

Finish: Polished

Print Process: Offset Lithography - 200 line-screen or 300 p.p.i. for digital

Lamination: Clear-gloss over-laminate for abrasion, chemical, and ultra violet protection



PN 5905952

2015_Serial_Tag-C-5905952.jpg:

Size: 3"W x 3"H

Material: Material: 2 Mil. Matte Silver Polyester


(Flex-PSE)

Print using thermal transfer printer with resin ribbon


Ink: 1 Color-Black



4 Post Lifts Product Decal Positioning



4 Post Lifts Packaging



Serial Tag New-2015 Peel Off-5905285.jpg:

Size: 3"W x 3"H

Material: 2 Mil. Matte Silver Polyester (Flex-PSE) Print using thermal transfer printer with resin ribbon

Ink: 1 Color-Black

PEEL OFF INVENTORY LABEL

SERIAL NUMBER

Do not remove back sheet of this portion to prevent from sticking completely as shown in image.





MFD. BY BENDPAK INC.

CAPACITY: MED/HVY DTY ANCHORS: AS EQUIPPED LIFT TYPE: SURFACE MOUNT POWER: ELECTRIC/HYDRAULIC INSTALLATION - SEE OWNERS GUIDE OR CONTACT FACTORY

SHIPPING DAMAGE CLAIMS
WHEN THIS EQUIPMENT IS SHIPPED, TITLE PASSES TO THE PURCHASER
UPON RECEIPT FROM THE CARRIER. CONSEQUENTLY, CLAIMS FOR THE
MATERIAL DAMAGED IN SHIPMENT MUST BE MADE BY THE PURCHASER
AGAINST THE TRANSPORTATION COMPANY AT THE TIME SHIPMENT IS
RECEIVED.

PLEASE READ ALL OPERATORS/USERS MANUAL(S) PRIOR TO INSTALLATION AND OPERATION. UNDERSTAND AND COMPREHEND THE FULL CONTENTS OF EACH MANUAL(S) PRIOR TO INSTALLATION AND OPERATION. DELIVER THE MANUAL(S) TO ALL OPERATORS. FAILURE TO OPERATE THIS EQUIPMENT AS DIRECTED MAY CAUSE INJURY OR DEATH.

IMPORTANT NOTE:
BENDRAK LIFTS ARE SUPPLIED WITH CONCRETE FASTENERS MEETING THE
CRITERIA AS PRESCRIBED BY ASTM E488 — 96(2003), LIFT BUYERS ARE
RESPONSIBLE FOR ANY SPECIAL REGIONAL STRUCTURAL AND/OR SEISMIC
ANCHORING REQUIREMENTS SPECIFIED BY ANY OTHER AGENCIES AND/OR
CODES SUCH AS THE UNITOR BUILDING CODE (UBC) AND/OR
INTERNATIONAL BUILDING CODE (IBC).



BPK STYOT P20KVR X18576 HVY DTY/ GVR 832
THE MANUFACTURE, USE, SALE OR IMPORT OF THIS PRODUCT MAY BE SUBJECT TO ONE OR MORE UNITED STATES PATENTS, OR PENDING APPLICATIONS, OWNED BY BENDPAK, INC.

ENGINEERED BY BENDPAK INC USA

MADE IN CHINA

Manufacturer Packaging Label:

Size: 5"W x 5"H

Material: White adhesive paper Ink: U.V. protected CMYK 2/C Process

Print Process: Offset Lithography - 200 line-screen or 300

p.p.i. for digital